	Application No.	Applicant(s)
Notice of Allowability	10/771,077	ERBE ET AL.
	Examiner	Art Unit
	Allison M. Ford	1651
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	plication. If not included n will be mailed in due course. <b>THIS</b>
1. 🖂 This communication is responsive to telephonic interview of	of 1 <b>9</b> October 2006 w/ Stephanie Ba	rbosa (applicant's representative).
2. The allowed claim(s) is/are <u>32-43,63-66,68-71 and 73-79</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority une</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	R'S AMENDMENT or NOTICE OF ation is deficient.
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6: DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. D Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Da 7. ⊠ Examiner's Amend	ment/Comment
4.   Examiner's Comment Regarding Requirement for Deposit	8: Examiner's Statem	ent of Reasons for Allowance .
of Biological Material	9.	
		•
·		
•		•

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Stephanie Barbosa on 19 October 2006.

. The application has been amended as follows:

Pleas re-write claim 32 as follows:

-- Claim 32. A biocompatible bone graft material comprising a homogenous composite of biocompatible, resorbable collagen and calcium phosphate, the biocompatible bone graft having macro-, meso-, and microporosity. --

Please re-write claim 35 as follows:

-- Claim 35. The bone graft material of claim 34 wherein said phosphate and collagen have a mass ratio of about 85:15 to about 75:25. --

Please re-write claim 63 as follows:

-- Claim 63. A bone graft for long bone reinforcement in the form of a sleeve, the graft comprising a homogenous composite of biocompatible, resorbable collagen and calcium phosphate, the graft having macro-, meso-, and microporosity.--

Application/Control Number: 10/771,077

Art Unit: 1651

Please re-write claim 64 as follows:

-- The bone graft of claim 63 further comprising a mesh affixed to a surface of the sleeve.--

Please re-write claim 65 as follows:

-- Claim 65. The bone graft of claim 64 wherein said mesh is immersed in the graft. --

Please re-write claim 68 as follows:

-- Claim 68. The bone graft of claim 63 wherein the calcium phosphate and collagen are in a mass ratio of about 90:10 to about 70:10.--

Please re-write claim 69 as follows:

-- Claim 69. The bone graft of claim 63 wherein the calcium phosphate and collagen are in a mass ratio of about 85:15 to about 75:25.--

Please add new claim 79 as follows:

-- Claim 79. The bone graft of claim 63, wherein the calcium phosphate is beta-tricalcium phosphate.--

Application/Control Number: 10/771,077

Art Unit: 1651

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allison M. Ford whose telephone number is 571-272-2936. The examiner can normally be reached on 7:30-5 M-Th, alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Wityshyn can be reached on 571-272-0926. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-7000.

Primary Examiner Art Unit 1651 Page 4